

Index

- 1080i - 838 -
- 12AT7 (ECC81) - 214 -
- 12AU7 (ECC82) - 215 -
- 12AX7 (ECC83) - 215 -
- 300B (valve) - 223 -
- 5.1 multi-channel audio - 624 -
- 6072 (valve) - 217 -
- 6L6, 6V6, 807 and KT66 Dynasty - 218 -
- 720p/60 and 720p/59.94 - 840 -
- 845 (valve) - 226 -
- Absorption - 82 -
- AC circuits - 14 -
- AC100 amplifier- 758 -
- AC701 valve - 218 -
- Acoustic (Double) bass - 135 -
- Acoustic guitar and classical guitar - 129 -
- Acoustic treatment - 89 -
- Acoustical analysis of loudspeaker in an infinite baffle - 783 -
- Acoustical power required for realistic listening levels - 62 -
- Active Crossovers - 795 -
- Active devices - 153 -
- Additive synthesis - 435 -
- ADT (or Flanging) - 482 -
- AES/EBU or IEC958 Type 1 Interface - 527 -
- AIFF & AIFC - 545 -
- AKG 414 - 123 -
- AKG Model C 12- 122 -
- Aliasing - 487 -
- All-pass filters, phase-rotators and the Symmetra-Peak - 407 -
- Altec Duplex loudspeakers - 810 -
- Altec Lansing 436C - 397 -
- Alternatives to inductors - 369 -
- Ambisonics - 630 -
- Amplification - 176 -
- Amplifier as part of the sound - 739 -
- Amplifier myths exploded - 767 -
- Amplifiers for High Quality Monitoring - 701 -
- Analogue Mastering - 480 -
- Analogue Multi-track Tape Machines - 481 -
- Analogue Noise Generators - 426 -
- Analogue Sequencers - 443 -
- Analogue video interfaces - 832 -
- Analysis of equivalent circuits - 787 -
- Angular frequency - 19 -
- Aperture effect - 488 -
- Applications of digital tape recorders - 536 -
- Aristotle just got wired! - 500 -
- Artificial echo - 375 -
- Artificial reverberation - the echo chamber - 374 -
- Artzt circuit (a.k.a. the SRPP and the μ -follower) - 205 -
- Aspect ratio - 841 -
- Asynchronous sample-rate conversion - 597 -
- Attack – Decay - Sustain - Release (ADSR) Generator - 425 -
- Attenuation networks and early microphone mixers - 670 -
- AU Files - 546 -
- Audio and the PC- 571 -
- Audio Data Files - 544 -
- Audio editor - 302 -
- Audio Enhancers - 408 -
- Audio Mixer Circuitry - 658 -
- Audio Scenes - 593 -
- Audio Watermarking - 596 -
- Axial (first-order) eigentones for a small room - 85 -
- B&W 801 monitoring loudspeaker - 815 -
- BA284 preamplifier - 691 -
- Baby Boom - 625 -
- Bailey's Transmission-Line loudspeaker - 792 -
- Bass drum - 132 -
- Bass-boost circuit- 365 -
- Bass-cut circuit - 362 -
- Bass-Reflex enclosure - 786 -
- Baxandall tone-control circuit - 367 -
- BBC LS3/5(a) - 812 -
- BBC LS5/8 - 813 -
- BBC LS5/9 - 815 -
- BBC Radiophonic Workshop - 415 -
- Bench power supply - 300 -
- Bessel - 181 -
- Beware exploding capacitors - 287 -
- Beware the guitar-amplifier mains-transformer - 287 -
- Beyond 255 and below zero - 510 -
- Bias - 474 -
- Binary arithmetic - 507 -
- Binaural Techniques - 600 -
- Bipolar junction transistors (BJTs) - 246 -
- Bits and bytes - 508 -
- Blumlein δ (or difference) technique or TIHM - 148 -
- Blumlein's (intensity derived) system - 602 -
- Brass - Trumpet and Trombone - 137 -
- Bridge configuration - 731 -
- Building acoustics - 82 -
- Building complex waveforms from sine waves - 41 -
- Bungee-jumping into differential equations - 161 -
- Butterworth - 182 -
- BWF - 545 -
- Capacitances in series and parallel - 24 -

Index

- Capacitor ESR - 305 -
- Capacitor - 17, 95, 303 -
- Cardioid microphones - 100 -
- Cascode circuit - 204 -
- Cathode and the work function - 209 -
- Cathode follower - 200 -
- Cathode Ray Oscilloscope (CRO) - 293 -
- Cathode ray tube and raster scanning - 824 -
- Cathode stripping and the "standby" switch - 768 -
- Cathode-bias or fixed-bias - 710 -
- CD player as a signal generator - 298 -
- CD Rainbow - 548 -
- Celestion G12, and the "Blue" - 809 -
- Cello - 134 -
- Channel Modes - 449 -
- Characteristic Curves - 191 -
- Chassis material - 773 -
- Chebyshev - 180 -
- Choice of components - 770 -
- Circuit simulation - the virtual electronics laboratory - 301 -
- Circuits with memory - 505 -
- Class AB - 700 -
- Class-A - 699 -
- Class-B - 699 -
- Class-D amplifiers - 732 -
- Class-D, Class-G and Current Dumping - 700 -
- Class-G amplifiers - 731 -
- Classic amplifiers- 745 -
- Classic consoles - 669 -
- Classic guitar amplifier loudspeaker drivers - 808 -
- Classic microphones - 107 -
- Classic moving-coil monitoring loudspeakers - 810 -
- Clicks, Streamers and Punches - 858 -
- Clock Signal - 836 -
- CMOS - 503 -
- Coincident (X –Y) technique - 141 -
- Colour Perception - 827 -
- Colour Television - 828 -
- Colours of Noise - 426 -
- Combined controls (tone) - 366 -
- Commercially available valves - 210 -
- Common-cathode amplifier - 196 -
- Common-grid (or earthed-grid) amplifier - 199 -
- Compact Cassette- 478 -
- Compact Disc - 547 -
- Complementary functions - 163 -
- Complete audio test-sets - 299 -
- Complex FM and feedback - 431 -
- Complex numbers - 20 -
- Components, units and multipliers - 7 -
- Compounds and bonds - 3 -
- Compressed file formats - 546 -
- Conductors and insulators - 5 -
- Connectors - 318 -
- Consonance and dissonance - 52 -
- Controllers - 448 -
- Convolution - 556 -
- Convolutional reverberation - 380 -
- Counters - 511 -
- Creating the stereo picture - panning - 139 -
- Creative Uses of Tape - 482 -
- Crest factor - 62 -
- Critical band - 74 -
- Crossed cardioids- 144 -
- Crossed eights or crossed cosine-microphones - 142 -
- Crossover Networks - 794 -
- Crosstalk-cancellation - 601 -
- Current and voltage generators - 13 -
- Current Dumping - The Quad 405 - 722 -
- Current sources and current mirrors- 258 -
- CV and Gate Control - 443 -
- Darlington Pair - 254 -
- Data Compression Techniques - 584 -
- Data Format - 531 -
- Data rates and Picture formats - 550 -
- Data rates - 541 -
- Data - 528 -
- DC Coupling - 717 -
- DC Offset Protection - 718 -
- Decca Tree - 147 -
- Decibel - 59 -
- De-Essers - 409 -
- Delay-derived stereophony - the Precedence effect or Law of the first wave-front - 608 -
- Delay-Locked Loop (and the Phase-Locked Loop) - 522 -
- Derivation of band-pass and high-pass filters - 559 -
- Design of auditoria - 83 -
- Designing an FIR filter - 560 -
- Designing an IIR filter - 561 -
- Designing digital filters - 560 -
- Development of Pentode and Beam Tetrode - 193 -
- Differential equations - 160 -
- Diffusion - 83 -
- Digital amplifiers- 735 -
- Digital audio analyser - 300 -
- Digital audio recording - 534 -
- Digital Audio Stationary Head (DASH) Format - 536 -
- Digital Audio Stationary Head (DASH) multitrack format - 537 -
- Digital audio tape recorders - 534 -
- Digital consoles - 668 -
- Digital electronics - 497 -

Index

- Digital filtering - 555 -
- Digital filters - 184 -
- Digital Fourier Transform - 40 -
- Digital Line-up - 649 -
- Digital Manipulation - 669 -
- Digital Mastering - 536 -
- Digital Mixer Architecture - 669 -
- Digital Multi-tracks - 537 -
- Digital reverberation - 379 -
- Digital Rights Management (DRM) and MPEG-21 - 595 -
- Digital to analogue conversion - 488 -
- Digital Visual Interface (DVI) and HDMI - 849 -
- Digital waveform generation - 338 -
- Digital-machine based representation of numbers - 507 -
- Diode as a rectifier - 189 -
- Diode as detector - 187 -
- Diode - 226 -
- Direct injection and hum loops - 655 -
- Disc Drive Technology - 539 -
- Discrete Fourier Transform - 491 -
- Discrete op-amps - 272 -
- Distortion in passive components - 309 -
- Distortion meter and wave analyser - 298 -
- Dither - 489 -
- DIY "Boutique" amplification - towards a personal aesthetic - 769 -
- DMA - 519 -
- Dolby AC-3 - 590 -
- Dolby B - 479 -
- Dolby Digital Surround EX - 629 -
- Dolby E - 591 -
- Dolby Surround and Pro-Logic - 628 -
- Doping - 239 -
- Double Tracking - 482 -
- Double-triodes - 212 -
- DRAM - 520 -
- Droop - power-supply issues in instrument amplifiers - 767 -
- Drum kit - 131 -
- DSP and Amplification - 778 -
- DSP effect and instrument Plug-ins - 576 -
- DTS - 592 -
- Dual-diaphragm capacitor microphones - 104 -
- Dumble and Trainwreck amplifiers - 765 -
- Dust and scratches - 464 -
- DVD Recordable (DVD-R) - 552 -
- DVD - 549 -
- DVD-A - 553 -
- Dynamic range - 315 -
- Dynamics Processors - 392 -
- Early electronic music - 412 -
- Early experiments - 321 -
- Echo and Reverberation - 374 -
- Echo hiding - 596 -
- Echo send and return - 679 -
- Eckmiller equalisation - 685 -
- ECL and LVDS - 504 -
- Edison effect - 185 -
- Effect of age upon hearing sensitivity - 80 -
- Effect on frequency response and distortion - 266 -
- Effect Send and Return - 662 -
- EL34 - 222 -
- Electret - 97 -
- Electric field, potential difference and electric current - 5 -
- Electric guitar and bass guitar - 130 -
- Electric Guitar - 341 -
- Electric pianos - 356 -
- Electric shock - 285 -
- Electrical Format - 532 -
- Electrical, mechanical and acoustical analogies - 31 -
- Electricity discovered - 5 -
- Electricity - 1 -
- Electric-Road amplifier - 770 -
- Electrodynamic microphones - 94 -
- Electromagnetic waves - 28 -
- Electron paths - 190 -
- Electronic organs - 331 -
- Electronics construction - 287 -
- Electrons inside the valve - 186 -
- Electrons - 3 -
- Electrostatic Loudspeakers - 805 -
- Electrostatic microphones - 95 -
- Elektronische Musik - the German School - 412 -
- Elusive VF14 - 117 -
- Embedded audio in HDTV - 843 -
- Embedded clocks - 515 -
- Embedded Digital Audio in the Digital Video Interface - 842 -
- EMF - 6 -
- EMI levels - 679 -
- EMI RS124 - 398 -
- Emitter Follower - 253 -
- Encode - decode - 605 -
- Energy - 9 -
- Envelope Generation and the VCA - 423 -
- Equalisation (tone control) - 92, 360, 464, 475 -
- Equalisers and tone-controls - 660 -
- Equalisers - 657 -
- Equivalent circuit for the transistor - 250 -
- Equivalent circuit of a pentode - 196 -
- Equivalent circuit of a valve - 196 -
- Equivalent circuits - 153 -
- Evolution - 519 -
- Exotic op-amps - 272 -
- Expansion - Noise reduction - 405 -
- Eye pattern - 524 -

Index

- Faders and Pan Controls - 662 -
- Faders - 670 -
- Fairchild 660 and 670 - 399 -
- Fairlight CMI II and the Synclavier - 433 -
- Falling wavelengths - 463 -
- Faster rates of attenuation - 365 -
- Feed-forward and Feedback Compressors - 396 -
- Fender "Champ" (5C1) - 749 -
- Fender "Deluxe" (5D3) - 750 -
- FET Compressor - UREI 1176 - 400 -
- Fibre Channel - 542 -
- Fibre-optic format - 532 -
- Field Programmable Gate Arrays - 521 -
- Field-Effect Transistor (FET) - 254 -
- Filter design - 180 -
- Filter Templates - 836 -
- Finite baffle - 790 -
- FIR and IIR digital filters - 557 -
- FireWire Interface - 543 -
- FLAC - 546 -
- FLAC - 592 -
- Flanging, Phasing and Chorus - 388 -
- Flash memory - 521 -
- Fletcher-Munson Curves (equal loudness contours) - 73 -
- FM Sound Synthesis - 428 -
- FM Theory - 428 -
- Fourier once again... - 846 -
- Fourier Transform - 35 -
- Fourier - 34 -
- Fourier's Uncertainty Principle - 497 -
- Frame by frame - 844 -
- FRANCINSTIEN viewed as a head-shadow compensator - 621 -
- French Horn(s) - 136 -
- Frequency response - 344 -
- Frequency response - 42 -
- Frequency response - 559 -
- Frequency response - 97 -
- From generators to music - 13 -
- From uA702 to uA741 - 268 -
- Full Frame - 856 -
- Functional physical modelling - 437 -
- Fuzz - 383 -
- Genelec 8050A - 817 -
- Generators - 12 -
- Getter - 210 -
- Gibson GH-40 - 759 -
- Good workshop practice - 286 -
- GOP - 845 -
- Gramophone records (78s and LPs) - 460 -
- Granular synthesis - 438 -
- Green Book, White Book and Blue Book - 549 -
- Group-delay perception - 78 -
- Groups Revisited - 653 -
- Groups - 651 -
- H sync and V sync - 825 -
- Hafler circuit - 623 -
- Hammond organ - 350 -
- Hard Disc Recording - 538 -
- Hard Drive Interface Standards - 541 -
- Hard-Disc Editing - 571 -
- Harmonic Series - 54 -
- Harmonics - 55 -
- HDMI (High-Definition Multimedia Interface) - 850 -
- HDTV Standards - 838 -
- Headphones - 819 -
- Heater DC supply - the Schottky diode - 773 -
- Helios - 694 -
- Hexadecimal base - 507 -
- HF crosstalk compensation - 617 -
- HF imaging - 605 -
- High Definition Television (HDTV) - 837 -
- Higher order transfer functions - 176 -
- High-pass example - 564 -
- High-voltage audio distribution systems and long-line PA - 738 -
- Hi-hat - 133 -
- History - 485 -
- History - 743 -
- Hohner Clavinet - 356 -
- Hole current - 241 -
- Horn Loudspeakers - 800 -
- How to avoid differential equations - or Fourier's big cheat - 169 -
- Hyper-Threading or Multi-Threading - 519 -
- IDE Drives - 541 -
- IIR filter design example - 562 -
- Impedance and efficiency - 820 -
- Impedance transformation - 16 -
- Improving Image Sharpness by means of Inter-channel Crosstalk - 616 -
- Improving stereo - 616 -
- Impulse response - 557 -
- Inductor-gyrators - 661 -
- Inductors in series and parallel - 24 -
- Inductors - 19 -
- Infinite baffle - 782 -
- Input and Output Impedance - 154 -
- Input Strip - 650 -
- Insert points and Sends and Returns - 653 -
- Insert Points - 659 -
- Integrated power amplifiers - 729 -
- Intensity stereo coding - 589 -
- Interaction between amplifier and loudspeaker - 742 -
- Interfaces - 527 -
- Intermediate Compression Systems - 586 -
- Intermodulation distortion - 159 -

Index

- Introduction to Digital Signal Processing (DSP) - 555 -
- Invention of the Triode - 189 -
- Inverse square law - 64 -
- Ionic and covalent bonds - 3 -
- Is it true that "nothing is transparent"? - 313 -
- Is there any validity in these ideas? - 311 -
- ITU-R Rec. 601 Description - General - 833 -
- Jensen P10R (the Bassman Loudspeaker) - 808 -
- John Linsley Hood's 10 watt, class-A amplifier - 718 -
- JTM100 - 751 -
- Junction FET (JFET) - 255 -
- Karlheinz Stockhausen - 413 -
- Kirchhoff's Laws - 7 -
- KT88 - 221 -
- Laplace Transform - 178 -
- Latency - 579 -
- LC circuits and resonance - 22 -
- Leakage and Windowing - 492 -
- Least Significant Bit (LSB) Modification - 596 -
- Leslie Loudspeaker - 818 -
- Limitations in digital signal processing - 568 -
- Line Level Stages - 665 -
- Linear systems - 154 -
- Line-array of loudspeakers- 804 -
- Listening tests - 313 -
- Listening tests, or do you have golden ears? - 310 -
- Logic analysers - 296 -
- Logic families - 502 -
- Logic gates and functions - 497 -
- Longitudinal Timecode (LTC) - 853 -
- Long-tailed pair - 202 -
- Long-tailed pair - 259 -
- Loss of the Shuffler - 607 -
- Lossless Compression - 585 -
- Loudspeaker equalisation - 798 -
- Loudspeakers in pipes - 788 -
- Louis and Bebe Barron - 414 -
- Low frequency directional hearing - 602 -
- Low Frequency Oscillator (LFO) - 425 -
- Low Level Tones - 596 -
- Low Voltage Technologies - 505 -
- Low-noise design- 262 -
- Low-noise pentodes - 211 -
- LR circuits - 364 -
- M4P - 546 -
- MADI - Serial Multi-channel Audio Digital Interface - 531 -
- Magnetic recording - 472 -
- Magnetic Theory - 473 -
- Magnetism and Electricity - the Dynamic Duo - 11 -
- Magnitude of the transfer function - 172 -
- Major fifth - 56 -
- Major third - 56 -
- Manufacture - 471 -
- Marconi Type A - 109 -
- Marshall - JTM45 - 750 -
- Masking - 74 -
- Mastering on the PC - 582 -
- Mastering, duplication and replication - 581 -
- Matchless and the boutique amplifier movement - 760 -
- Mathematical models for valves - 226 -
- Matter - 1 -
- Measurement of reverberation - 86 -
- Measurement of Sound Pressure Level (Sound Intensity Level) - 61 -
- Measuring sound - 59 -
- Mechanical analogies and the Theile-Small Parameters - 788 -
- Mechanical limitations - 462 -
- Mechanism of sampling - 486 -
- Mel - 62 -
- Mellotron - the electromagnetic sampler - 358 -
- Metal bonds - 4 -
- Metalwork and woodwork - 290 -
- Metamerism - the great colour swindle - 828 -
- Microcomputers and microprocessors - 516 -
- Microphone dynamic range - 105 -
- Microphone mixers - 671 -
- Microphone pre-amplifiers - 658 -
- Microphone technique for 5.1 audio - 626 -
- MIDI messages - 452 -
- MIDI Sequencing- 450 -
- MIDI Specification - 445 -
- MIDI System-Exclusive Messages - 450 -
- MIDI Timecode - 449 -
- MIDI Timecode, MIDI clocks and Song Position Pointers (SPPs) - 855 -
- MIDI - 444 -
- MIDI - 47 -
- Minor seventh chords and the dominant seventh - 57 -
- Mix amplifiers - 662 -
- Mixer Automation - 667 -
- Modern "classics" - 126 -
- Modern microphone circuitry - 127 -
- Modern techniques - 778 -
- Modern trends in synthesiser design - 435 -
- Modular synthesisers - 419 -
- Modulation spectra - 188 -

Index

- Modulation - 58 -
- Moog and Carlos and the birth of commercial synthesisers - 418 -
- Moog MINIMOOG - 427 -
- More about MPEG-4 Part 3 (ISO/IEC 14496-3) - 593 -
- MOSFET - 256 -
- MOSFETs - 728 -
- Motional feedback - 799 -
- Moving coil - 94 -
- Moving-coil loudspeaker - 781 -
- MP3 - 546 -
- MP4 and M4A - 546 -
- MPEG layer 1 compression (PASC) - 587 -
- MPEG Layer 2 audio coding (MUSICAM) - 589 -
- MPEG Layer 3 - 589 -
- MPEG-4 Audio Lossless Coding (MPEG-4 ALS) - 546 -
- MPEG-4 Part 3 ISO/IEC 14496-3
 - Advanced Audio Coding (AAC) - 590 -
 - Multi-meter - 291 -
 - Multiplexers - 502 -
 - Multiplication - 509 -
 - Multi-track Hard-Disc recording - 575 -
 - Multivibrator - 335 -
 - Music and acoustics - 44 -
 - Music recognition by machine - 583 -
 - Music Spotting Notes - 858 -
 - Music theory - 46 -
 - Musical notation - 48 -
 - Musical Ranges - 46 -
 - Musical Scales and Temperaments - 51 -
 - Mute switch - 768 -
 - MXL R144 Ribbon Microphone - 128 -
 - Natural frequency - 167 -
 - Near and Far Field - 66 -
 - Negative feedback - 264 -
 - Neumann M49 and M50 - 120 -
 - Neumann U47 and U48 microphones - 115 -
 - Neve 1073 - 689 -
 - New techniques in pitch shifting and time-stretching - 569 -
 - Ninths, elevenths and thirteenthths - 57 -
 - Noise exposure and hearing loss - 81 -
 - Noise in a junction FET (JFET) - 264 -
 - Noise - 106 -
 - Noise, dynamic range and signal-to-noise - 177 -
 - Non-linearity and harmonic distortion - 156 -
 - Non-sinusoidal oscillators or waveform generators - 334 -
 - Note names - 48 -
 - Note-on and Note-off - 447 -
 - NTSC and PAL or "composite" colour systems - 829 -
 - Numerical coding of digital audio signals - 490 -
 - OGG - 546 -
 - Ohm's law - 7 -
 - Olson-Belar RCA sound sythesiser - 417 -
 - OM 3D Sound Processor - 635 -
 - OM panning circuits - 636 -
 - Ondes Martinot - 327 -
 - Op-Amp Cookery - 275 -
 - Op-amps - 266 -
 - Operating system - 520 -
 - Optical techniques - 403 -
 - Opto-electronic Level Indication - 646 -
 - Orange Book - 549 -
 - Origin of the elements - 2 -
 - ORTF technique - 147 -
 - Output Transformers - 703 -
 - Output-Stage Protection - 717 -
 - Overheads - 133 -
 - Overload point - 106 -
 - PAL and NTSC - 854 -
 - Pan Control - 652 -
 - Parallel and serial presentations of digital data – the shift-register - 514 -
 - Parallel digital interface - 837 -
 - Parallel output devices - 730 -
 - Particular integral- 168 -
 - Patching- 426 -
 - Peak-current - 246 -
 - Pentatonic and Blues scale- 54 -
 - Pentode acting as a triode - 230 -
 - Pentode and beam-tetrode - 228 -
 - Perceived fundamental - 430 -
 - Perception of phase - 76 -
 - Persistence of Vision - 823 -
 - Phantom power - 659 -
 - Phase distortion and electrostatic loudspeakers - 807 -
 - Phase of the transfer function - 173 -
 - Phase-shift oscillator - 334 -
 - Phon - 61 -
 - Photo-electric instruments - 323 -
 - Phrase Sampling - 580 -
 - Physical modelling - 436 -
 - Physics of Magnetic Tape - 473 -
 - Physics of Sound - 33 -
 - Physiology of Hearing - 69 -
 - Pianoforte - 131 -
 - Pickup placement- 344 -
 - Pick-up selection and tone controls - 347 -
 - Pickup sensitivities and recorded velocities - 467 -
 - Pitch Shifting - 386 -
 - Pitch-correction - 390 -
 - Plate reverb - 378 -
 - PN junctions - 239 -

Index

- Polar diagrams - 98 -
- Polar displays - 648 -
- Potential divider - 10 -
- Power Supply Regulator - 721 -
- Power Transistors - 276 -
- Power valves - 218 -
- Power - 9 -
- PPM and VU ballistics - 646 -
- PPM Meter - 644 -
- Practical capacitor microphones - 103 -
- Practical Components - 303 -
- Practical design - 249 -
- Practical Digital Audio Interface - 530 -
- Practical high-gain amplifiers - 261 -
- Practical instruments - 336 -
- Practical operational amplifiers in audio - 267 -
- Practical semiconductor designs - 718 -
- Practical sound absorbers - 90 -
- Practical transformers - 16 -
- Practical Valve Circuits - 194 -
- Preferred values for resistors - 309 -
- Pressure amplitude and SPL - 60 -
- Pressure Gradient or Velocity microphones - 99 -
- Pressure Microphones - 98 -
- Pressure or velocity - 98 -
- Pressure Zone Microphone (PZM) - 104 -
- Principles - 93 -
- Problems with Ambisonics - 632 -
- Professional analogue-audio levels - 320 -
- Proximity effect or bass tip-up - 102 -
- Psychoacoustic Masking Systems - 586 -
- Psychology of Hearing - 71 -
- Public address - 736 -
- Pultec EQP-1A - 370 -
- Q - 661 -
- Quad 303 circuit - 720 -
- Quantisation throttle - 847 -
- Quantisation - 487 -
- Quarter Frame message - 855 -
- Rack-toms and Floor tom - 133 -
- Radiation of Sound - 64 -
- Radio frequency technique- 124 -
- RAID 1 (Mirroring) - 543 -
- RAID 2 (Bit Striping with error-correction) - 543 -
- RAID 3 (Bit Striping with Parity) - 544 -
- RAID 4 (Striping with Fixed Parity) - 544 -
- RAID 5 (Striping with Striped Parity) - 544 -
- RAID - 543 -
- Random access - 538 -
- Raw PCM data - 547 -
- Raymond Scott and the history of the sequencer - 441 -
- RCA 44 - 107 -
- RCA 77D and DX - 110 -
- Reading a circuit diagram - 303 -
- Real-world valves - 207 -
- Recent developments of the FRANCINSTIEN circuit - 617 -
- Re-circulating wavetable approach - 437 -
- Recording an orchestra - 151 -
- Recording Console - 654 -
- Recording formats - analogue machines - 476 -
- Red Book - 548 -
- REDD.37 / REDD.51 signal flow - 676 -
- REDD.47 - 679 -
- Reels - 858 -
- Regional Codes - 551 -
- Regulation & rectifier forward-resistance - 246 -
- Relationships between film and television frame rates - 851 -
- Reservoir capacitor - 244 -
- Resistor colour-code - 308 -
- Resistors - 306 -
- Resonance in air-columns, strings and bars - 44 -
- Reverberation - 82 -
- Reverberation, modal frequencies and the small room - 85 -
- Reverse leakage, PIV and avalanche (zener) diodes - 242 -
- Ribbon - 94 -
- Ring Modulation - 391 -
- Ripple voltage - 244 -
- RMS values - 17 -
- Rock-music brass-section - 137 -
- RØDE NT1A - 126 -
- Roland COSM - 778 -
- Roland Jazz Chorus 120 (JC-120) - 762 -
- Roland RSS System & Thorn EMI Sensaura - 634 -
- Room equalisation - 817 -
- Room modes - 83 -
- Rotary Head Digital Multi-track Formats - 537 -
- Rotating heads - 534 -
- RS232 and RS422 - 515 -
- RS232 - 515 -
- RS422 - 516 -
- SACD and DVD-A - 552 -
- SACD - 552 -
- Safety - 284 -
- Safety - 769 -
- Sampling Theory and Conversion - 485 -
- Sampling - 431 -
- SAOL - 594 -
- SATA - 541 -
- Scale distortion - 73 -
- Scrambling and Synchronisation - 531 -
- SCSI - 542 -

Index

- SDII (Sound Designer File Format) - 545 -
- Sealed-Box - 785 -
- Semiconductor amplifiers - 710 -
- Semiconductors - 238 -
- Semi-pro audio levels - 320 -
- Sensitivity - 105 -
- Sequencer Programs - 451 -
- Sequencer Recording - 452 -
- Sequential Logic and State-Machines - 512 -
- Serial Digital Interface (SDI) - 837 -
- Serialism - 59 -
- Series and Parallel - 9 -
- Set-up and hold time - 513 -
- Shuffler and Spreader - 678 -
- Side drum (snare)- 133 -
- Signal generator - 297 -
- Signals and clocks - 513 -
- Signals in the time-domain and the frequency-domain - 43 -
- Signals - 344 -
- Signetics NE5534 and 5532 (dual) - 270 -
- Simple electric circuit - 7 -
- Sinc response - 558 -
- Sine wave oscillators - 331 -
- Sine waves are not music? - 314 -
- Sines and slews - 266 -
- Singing Arc - 321 -
- Slots - 796 -
- SM57 - 114 -
- SM58 - 113 -
- Small signal valves - 211 -
- Smoothing - 245 -
- SMPTE Drop-Frame Timecode - 854 -
- Software instruments - 579 -
- Software tools - 301 -
- Software tools - 567 -
- Soldering iron - 290 -
- Solid-state recorder - 553 -
- Solid-state rectifier and the power supply - 243 -
- Solving differential equations - 162 -
- Sound Intensity Level (SIL) - 60 -
- Sound Mixer Architecture and Circuit Blocks - 650 -
- Source music and underscore - 857 -
- Space charge - 186 -
- Spaced Omnis (A - B) technique - 141 -
- Spatial Hearing - 599 -
- Spatial Hearing - 81 -
- Spatial sound - 599 -
- SPDIF or IEC985 Type 2 Interface - 528 -
- Speed Stability - 476 -
- Spotting, Cues and Hits - 857 -
- Spreadsheet - 302 -
- Spring reverb - 376 -
- SRAM - 520 -
- Stability and compensation - 278 -
- Standard Levels and Level Meters - 642 -
- Standard Operating Levels and Line-up Tones - 649 -
- STC 4038 - 110 -
- STEED - 376 -
- Stereo microphone techniques - 140 -
- Stereo - 468 -
- Stereophony in large halls - 612 -
- String quartet - 135 -
- Strings instruments - 133 -
- Structured Audio - 593 -
- Sub-Woofer and the Band-Pass Enclosure - 807 -
- Sub-woofers for sound reinforcement - 808 -
- Superheterodyning instruments - 324 -
- Supro S6616 - 764 -
- Sweet spot - 612 -
- Switched-mode power-supplies - 736 -
- Switch-On "Thumps" - 718 -
- Synchronisation of Music to Picture - 856 -
- System Architecture - 650 -
- System Messages - 449 -
- Table of useful physical constants - 320 -
- Talkback - 657 -
- Talk-box Guitar Effect - 411 -
- Tape "Special Effects" - Musique Concrete - 483 -
- Tape Looping - 482 -
- Tape Speed - 476 -
- Telefunken and EMI REDD consoles - 672 -
- Teletronix LA-2a - 404 -
- Television signal - 825 -
- Telharmonium - 322 -
- Temporal masking - 76 -
- Test equipment - 291 -
- Tests - 775 -
- Text-to-Speech - 594 -
- TG12345 - 687 -
- The "Analogue" Interface - 435 -
- The "sound" of valves - 741 -
- Theoretical derivation of the masking curve - 75 -
- Theory of Harmony - 56 -
- Theory - 486 -
- Theremin - 324 -
- Thermal Effects - 797 -
- Thermal noise in triodes - 199 -
- Thermal Stability and Transistor Output Stage Protection - 714 -
- Thermal Stability - 715 -
- Thermionic emission and the diode valve - 185 -
- Timecode - 668 -
- Timecode - 853 -
- TL07x family - 269 -

Index

- Tone-arm tracking - 463 -
- Too many channels - 627 -
- Tools of the trade - 290 -
- TOSlink optical Interface (now IEC 60958 Type II Optical or optical SPDIF) - 530 -
- Track Structure - 550 -
- Transfer functions - 170 -
- Transformers - 14 -
- Transforming the low-pass filter to other types - 183 -
- Transients - 40 -
- Transition to digital video - 833 -
- Transmission lines - or, when is a wire not a wire? - 25 -
- Transmission of AES3 Formatted Data by Unbalanced Coaxial Cable - 530 -
- Trautonium and the invention of the relaxation oscillator - 328 -
- Treble Boosters - 384 -
- Treble-boost circuit - 366 -
- Treble-cut circuit - 363 -
- Tremolo - 381 -
- Trident - 697 -
- Triode or Pentode - 706 -
- Triode - 227 -
- Tri-state - 502 -
- Triumph of electromagnetism! - 341 -
- TTL Logic - 503 -
- Two Different Philosophies - 739 -
- Two-Loudspeaker Stereophony - 601 -
- Types of digital memory - 520 -
- Tyranny of the "Center" - 626 -
- U67 - 118 -
- U87 - 119 -
- Ultra Linear and Cathode-coupled Amplifiers - 707 -
- Ultrasonics - 314 -
- Unbypassed Rk - 197 -
- Univox - 339 -
- USB as an audio interface - 532 -
- Useful reference information - 318 -
- User Bits - 855 -
- V72 Studioverstarker (Studio amplifier) - 682 -
- V77 Mikrofonverstarker (Microphone amplifier) - 684 -
- Valve Amplifiers - 701 -
- Valve envelopes - 211 -
- Valve output - transistor drive - 727 -
- Valve Parameters and design data - 196 -
- Vampower - 761 -
- Vari-mu compressors: the Altec Lansing 436 and the Fairchild 660 and 670 - 396 -
- Vertical Interval Timecode (VITC) - 854 -
- VF14(M) - the scarcest valve in the world! - 217 -
- VF14(M) valve and possible equivalents - 231 -
- VHDL - 523 -
- Video compression systems - 843 -
- Video Timing Reference Signals - 835 -
- Violin and viola - 134 -
- Virtuous solution - 664 -
- Vocals - 137 -
- Vocoder - 409 -
- Voicing and the importance of high-input impedance at the amplifier - 348 -
- Voltage Controlled Filter (VCF) - 422 -
- Voltage Controlled Oscillator (VCO) - 419 -
- Voltage regulation - 281 -
- Vox 7120 - 759 -
- Vox AC15 - 752 -
- Vox AC30 - 754 -
- Vox T60 - 757 -
- Vox - 752 -
- VST, DirectX and AU - 578 -
- VU Meter - 643 -
- Wah-wah - 385 -
- WAV Files - 545 -
- Wave effects - 65 -
- Wave field synthesis (WFS) - Holographic stereophony - 610 -
- Waveguide filtering - 438 -
- Waveshape distortion synthesis - 439 -
- Wavetable Synthesis and other Proprietary Synthesis Algorithms - 434 -
- Weber's Law - 71 -
- Wein bridge based mid-EQ - 370 -
- Wein-bridge oscillator - 333 -
- Western Electric Type 212 - 225 -
- What on earth is a root-Hertz? - 274 -
- What type of capacitor should I use? - 303 -
- Wideband masking - 75 -
- Wind ensemble - 136 -
- WMA - 546 -
- Woodwind instruments - 135 -
- World of frequency - 41 -
- Wow and rumble - 462 -
- Wrappers - 578 -
- Yamaha NS-10 - 816 -
- Yellow Book - 548 -
- You can hear what you can't hear? - 314 -
- Zobel network - 722 -
- Z-Transform - 565 -